

P33027USw

In the Claims:


Please amend the claims as follows.

1. – 2. (Cancelled).

3. (Currently Amended) A compound according to claim 5.4 wherein R^4 represents CO_2R^4 , wherein R^4 is hydrogen or C_{1-4} alkyl.

4. (Cancelled).

5. (Currently Amended) A compound according to claim 1 which is a compound of formula (II):



(II)

wherein:

R^1 is CO_2H R^4 ;

R^2 is halo, optionally substituted C_{1-6} alkyl, CN, SC_{1-6} alkyl, or SO_2C_{1-6} alkyl;

each R^3 is independently halo, optionally substituted OC_{1-6} alkyl, or optionally substituted C_{1-6} alkyl;

R^5 is hydrogen or an optionally substituted alkyl;

R^6 is hydrogen or an optionally substituted alkyl, optionally substituted SO_2 aryl, optionally substituted SO_2 heterocycl group, CN, optionally substituted CH_2 aryl or COR^7 ;

R^7 is hydrogen, optionally substituted heteroaryl or optionally substituted aryl;

P33027USw

R¹⁰ and R¹¹ together with the nitrogen atom to which they are attached form a morpholine ring, a 5- or 6-membered lactam ring or a 5- or 6-membered cyclic sulphonamide

m is an integer from 0 to 3;

n is an integer from 0 to 2;

W, X, Y and Z are each CR¹² or N wherein at least two of W, X, Y or Z is CR¹²; and when each of W, X, Y, and Z is CR¹² then each R¹² is independently selected from hydrogen, halogen, NR⁵R⁶, NHCOC₁₋₆alkyl, NSO₂C₁₋₆alkyl, C₁₋₆alkyl and NR¹⁰R¹¹, and when at least one of W, X, Y and Z is N then each R¹² is selected from hydrogen and NH₂;

or a pharmaceutically acceptable salt, ester, salt of such ester, or solvate derivative thereof.

6. (Currently Amended) A compound selected from:

3-{2-[5-chloro-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
3-{2-[2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
3-{2-[5-bromo-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
3-{2-[5-bromo-2-(4-Chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
3-{2-[5-bromo-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
3-{2-[5-bromo-2-(3,4-dichlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
3-{2-[5-bromo-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
3-{2-[5-bromo-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
3-{2-[5-bromo-2-(4-methoxybenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
5-{2-[5-chloro-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
5-{2-[5-chloro-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
5-{2-[5-chloro-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
5-{2-[5-chloro-2-(3,4-dichlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

P33027USw

5-[2-[5-chloro-2-(2,4-difluorobenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-chloro-2-(4-chloro-2-fluorobenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-chloro-2-(4-methoxybenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-bromo-2-(benzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-bromo-2-(4-chlorobenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-bromo-2-(4-fluorobenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-bromo-2-(2,4-difluorobenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-bromo-2-(4-chloro-2-fluorobenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-bromo-2-(4-methoxybenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-bromo-2-(cyclohexylmethoxy)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-trifluoromethyl-2-(4-chlorobenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-trifluoromethyl-2-(4-fluorobenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-trifluoromethyl-2-(2,4-difluorobenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-trifluoromethyl-2-(4-chloro-2-fluorobenzyl)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
5-[2-[5-trifluoromethyl-2-(cyclohexylmethoxy)-phenyl]-cyclopent-1-enyl]-nicotinic acid;
6-[2-[5-chloro-2-(2,4-difluorobenzyl)-phenyl]-cyclopent-1-enyl]-pyridine-2-carboxylic acid;
6-[2-[5-chloro-2-(4-chloro-2-fluorobenzyl)-phenyl]-cyclopent-1-enyl]-pyridine-2-carboxylic acid;
6-[2-[5-chloro-2-(4-chlorobenzyl)-phenyl]-cyclopent-1-enyl]-pyridine 2-carboxylic acid;

P33027USw

6-{2-[5-chloro-2-(4-fluorobenzyl)-phenyl]-cyclopent-1-enyl}-pyridine 2-carboxylic acid;

3-{2-[5-methylsulfanyl-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-methylsulfonyl-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-methylsulfanyl-2-(4-fluorobenzyl)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-methanesulfonyl-2-(4-fluorobenzyl)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-methylsulfanyl-2-(2,4-difluorobenzyl)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-methanesulfonyl-2-(2,4-difluorobenzyl)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[2-(2,4-difluorobenzyl)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[2-(4-chloro-2-fluorobenzyl)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[2-(4-methoxybenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-cyano-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-cyano-2-(2,4-difluorobenzyl)-phenyl]-cyclopent-1-enyl}-benzoic acid;

2-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;

6-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-methyl-2-(4-fluorobenzyl)-phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-methyl-2-(2,4-difluorobenzyl)-phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

2-{2-[5-trifluoromethyl-2-(4-fluorobenzyl)-phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;

2-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;

4-{2-[5-trifluoromethyl-2-(4-fluorobenzyl)-phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

P33027USw

4-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-aminopyrazine-2-carboxylic acid;

2-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;

2-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;

6-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;

3-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;

6-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;

3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;

3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;

3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-acetamidobenzoic acid;

3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-acetamidobenzoic acid;

3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-acetamidobenzoic acid;

3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;

P33027USw

3-[2-[5-trifluoromethyl-2-(4-fluorobenzyl)oxy]phenyl]cyclopent-1-enyl]-5-propionamidobenzoic acid;

3-[2-[5-trifluoromethyl-2-(2,4-difluorobenzyl)oxy]phenyl] cyclopent-1-enyl]-5-propionamidobenzoic acid;

3-[2-[5-bromo-2-(benzyl)oxy]phenyl]cyclopent-1-enyl]-5-propionamidobenzoic acid;

3-[2-[5-bromo-2-(4-fluorobenzyl)oxy]phenyl]cyclopent-1-enyl]-5-propionamidobenzoic acid;

3-[2-[5-bromo-2-(2,4-difluorobenzyl)oxy]phenyl]cyclopent-1-enyl]-5-propionamidobenzoic acid;

5-[2-[trifluoromethyl-2-(benzyl)oxy]phenyl]cyclopent-1-enyl} nicotinic acid N-oxide;

5-[2-[5-fluoro-2-(4-fluorobenzyl)oxy]phenyl]cyclopent-1-enyl]-3-(propionamido)benzoic acid;

5-[2-[5-methyl-2-(4-fluorobenzyl)oxy]phenyl]cyclopent-1-enyl]-3-(propionamido)benzoic acid;

5-[2-[5-methyl-2-(2,4-difluorobenzyl)oxy]phenyl]cyclopent-1-enyl]-3-(propionamido)benzoic acid;

5-[2-(2-benzyl-5-chlorophenyl)cyclopent-1-enyl]-2-methylbenzoic acid;

5-[2-(2-Benzyl-5-chlorophenyl)-cyclopent-1-enyl]-2-propionylaminobenzoic acid;

2-[2-[5-chloro-2-(2,4-difluorobenzyl)oxy]phenyl]cyclopent-1-enyl]isonicotinic acid;

2-[2-[5-chloro-2-(4-fluorobenzyl)oxy]phenyl]cyclopent-1-enyl]isonicotinic acid;

2-[2-[5-bromo-2-(4-fluorobenzyl)oxy]phenyl]cyclopent-1-enyl]isonicotinic acid;

5-[2-(2-benzyl-5-chlorophenyl)cyclopent-1-enyl]-3-propionylaminobenzoic acid;

5-[2-(2-benzyl-5-chlorophenyl)cyclopent-1-enyl]-3-isobutyrylaminobenzoic acid;

5-[2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl]cyclopent-1-enyl]-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;

P33027USw

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;

5-{2-[5-chloro-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;

5-{2-[5-chloro-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;

6-{2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}pyrazine-2-carboxylic acid;

6-{2-[5-chloro-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}pyrazine-2-carboxylic acid;

6-{2-[5-chloro-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}pyrazine-2-carboxylic acid;

5-{2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}-3-aminobenzoic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-aminobenzoic acid;

5-{2-[5-chloro-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}-3-aminobenzoic acid;

5-{2-[5-chloro-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-aminobenzoic acid;

5-{2-[5-chloro-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-aminobenzoic acid;

5-{2-[5-chloro-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;

P33027USw

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-methanesulphonylamino benzoic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-acetamidobenzoic acid

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-acetamidobenzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}-3-acetamidobenzoic acid;

5-{2-[5-chloro-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-acetamidobenzoic acid;

5-{2-[5-chloro-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-acetamidobenzoic acid;

5-{2-[5-chloro-2-(benzyl)oxy]phenyl}cyclopenten-1-enyl}-3-acetamidobenzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}-3-(morpholin-4-yl)benzoic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-(morpholin-4-yl)benzoic acid;

5-{2-[5-chloro-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-methylaminobenzoic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-3-methylaminobenzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}-3-methylaminobenzoic acid;

2{2-[5-trifluoromethyl-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-4-carboxylic acid;

2{2-[5-bromo-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-4-carboxylic acid;

2{2-[5-bromo-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-4-carboxylic acid;

P33027USw

2-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl)pyrazine-5-amino-6-carboxylic acid;

2-{2-[5-chloro-2-(benzyl)oxy]phenyl}cyclopent-1-enyl)-5-aminopyrazine-6-carboxylic acid;

3-{2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl)-5-methylbenzoic acid;

3-{2-[5-chloro-2-(benzyl)oxy]phenyl}cyclopent-1-enyl)-5-methylbenzoic acid;

6-{2-[5-chloro-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl)pyrazine-2-carboxylic acid;

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl)-3-(morpholin-4-yl)benzoic acid;

5-{2-[5-chloro-2-(benzyl)oxy]phenyl}cyclopenten-1-enyl)-3-morpholin-4-ylbenzoic acid;

5-{2-[5-chloro-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopenten-1-enyl)-3-(morpholin-4-yl)benzoic acid;

5-{2-[5-chloro-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl)-3-methanesulphonylaminobenzoic acid;

5-{2-[5-chloro-2-(benzyl)oxy]phenyl}cyclopent-1-enyl)-3-methanesulphonylamino benzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl)-3-diethylaminobenzoic acid;

6-{2-[5-methyl-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl)pyrazine-2-carboxylic acid;

6-{2-[5-methyl-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl)pyrazine-2-carboxylic acid;

6-{2-[5-fluoro-2-(benzyl)oxy]phenyl}cyclopent-1-enyl)pyridine-2-carboxylic acid;

6-{2-[5-fluoro-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl)pyridine-2-carboxylic acid;

6-{2-[5-fluoro-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl)pyridine-2-carboxylic acid;

6-{2-[5-chloro-2-(benzyl)oxy]phenyl}cyclopent-1-enyl)pyridazine-4-carboxylic acid;

P33027USw

6-{2-[5-chloro-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}pyridazine-4-carboxylic acid;

6-{2-[5-chloro-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}pyridazine-4-carboxylic acid;

5-{2-[5-chloro-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-2-methylbenzoic acid;

5-[2-(2-(4-fluorobenzyl)oxy)-5-chlorophenyl)cyclopent-1-enyl]-2-methylbenzoic acid;

5-[2-(2-(4-fluorobenzyl)oxy)-5-chlorophenyl)cyclopent-1-enyl]-2-fluorobenzoic acid;

5-[2-(2-benzyl)oxy]-5-chlorophenyl)cyclopent-1-enyl]-2-fluorobenzoic acid;

4-{2-[2-(benzyl)oxy]phenyl}cyclopent-1-enyl}benzoic acid;

4-{2-[5-chloro-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}benzoic acid;

3-{2-[5-chloro-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-5-methylbenzoic acid;

3-{2-[5-chloro-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-5-methylbenzoic acid;

3-{2-[5-trifluoromethyl-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-5-methylbenzoic acid;

3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-5-methylbenzoic acid;

3-{2-[5-chloro-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}-5-fluorobenzoic acid;

3-{2-[5-chloro-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-5-fluorobenzoic acid;

3-{2-[5-chloro-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-5-fluorobenzoic acid;

3-{2-[5-trifluoromethyl-2-(4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-5-fluorobenzoic acid;

3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-5-fluorobenzoic acid;

P33027USw

2-{2-[5-bromo-2-(4-fluorobenzyl)oxy]phenyl}-cyclopent-1-enyl}-isonicotinic acid;
2-{2-[2-(4-fluorobenzyl)oxy]phenyl}-cyclopent-1-enyl}-isonicotinic acid;
6-{2-[5-chloro-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-2-carboxylic acid;
6-{2-[5-chloro-2-(4-bromobenzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-2-carboxylic acid;
6-{2-[5-chloro-2-(2-chloro-4-fluorobenzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-2-carboxylic acid;
6-{2-[5-chloro-2-(2,4,6-trifluorobenzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-2-carboxylic acid;
6-{2-[5-chloro-2-(2,6-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-2-carboxylic acid;
6-{2-[5-chloro-2-(2-fluoro-4-trifluoromethylbenzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-2-carboxylic acid;
6-{2-[5-chloro-2-(3,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-2-carboxylic acid;
6-{2-[5-chloro-2-(2,3-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-2-carboxylic acid ~~sodium salt~~;
6-{2-[5-chloro-2-(4-methylbenzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-2-carboxylic acid ~~sodium salt~~;
6-{2-[5-chloro-2-(4-trifluoromethylbenzyl)oxy]phenyl}cyclopent-1-enyl}pyridine-2-carboxylic acid;
3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyl)oxy]phenyl}cyclopent-1-enyl}-5-aminobenzoic acid;
2-{2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}pyrimidine-4-carboxylic acid;
5-{2-[5-methyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}-2-acetamidobenzoic acid;
3-{2-[5-trifluoromethyl-2-(benzyl)oxy]phenyl}cyclopent-1-enyl}-6-fluorobenzoic acid;

P33027USw

5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-2-methylbenzoic acid;

5-{2-[5-chloro-2-(2,4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;

5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;

5-{2-[5-chloro-2-(2,4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid;

5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid; and

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid

and pharmaceutically acceptable salt, ester, salt of such ester, or solvate derivative thereof.

7. (Currently Amended) A pharmaceutical composition comprising a compound according to claim 5 4 together with a pharmaceutical carrier and/or excipient.

8. – 11. (Canceled).

12. (Currently Amended) A method of treating a human or animal subject suffering from inflammatory pain, neuropathic pain or visceral pain which method comprises administering to said subject an effective amount of a compound according to claim 5 4.

13. – 16. (Canceled).

17. (Currently Amended) The compound according to claim 5, wherein R^4 is CO_2R^4 ;

P33027USw

R^2 is halo, C_{1-4} alkyl, CF_3 , CN, SC_{1-6} alkyl, or SO_2C_{1-6} alkyl;
~~each R^3 is independently halo, optionally substituted OC_{4-6} alkyl, or optionally substituted C_{4-6} alkyl;~~
 m is an integer from 0 to 3;
 n is an integer from 0 to 2;
W, X, Y and Z are each CR^{12} or N wherein at least two of W, X, Y or Z is CR^{12} ; and when each of W, X, Y and Z is CR^{12} then each R^{12} is independently selected from hydrogen, halogen, NR^5R^6 , C_{1-6} alkyl, $NHSO_2C_{1-6}$ alkyl, C_{1-6} alkyl and $NR^{10}R^{11}$, and when at least one of W, X, Y and Z is N then each R^{12} is selected from hydrogen and NH_2 ;
or a pharmaceutically acceptable salt, ester, salt of such ester, or solvate derivative thereof.

18. (Currently Amended) A method of treating a human or animal subject suffering from pain associated with migraine which method comprises administering to said subject an effective amount of a compound according to claim 5-4.

19. (Currently Amended) 6-{2-[5-Chloro-2-(2,4-difluorobenzyl)-phenyl]cyclopent-1-enyl}-pyridine-2-carboxylic acid or a pharmaceutically acceptable salt, ester, salt of such ester, or solvate derivative thereof.

20. (Previously Presented) A pharmaceutical composition comprising the compound according to claim 19 together with a pharmaceutical carrier and/or excipient.

21. – 22. (Canceled).

23. (Previously Presented) A method of treating a human or animal subject suffering from inflammatory pain, neuropathic pain or visceral pain which method comprises administering to said subject an effective amount of a compound according to claim 19.

P33027USw

24. (Previously Presented) A method of treating a human or animal subject suffering from pain associated with migraine which method comprises administering to said subject an effective amount of a compound according to claim 19.

25. (Previously Presented) 6-{2-[5-Chloro-2-(2,4-difluorobenzyl)oxy]-phenyl}cyclopent-1-enyl}-pyridine-2-carboxylic acid.

26. (New) The compound according to claim 5, wherein m is an integer from 0 to 2; and W, X, Y and Z represents CH or N wherein at least one of W, X, Y or Z is CH; or pharmaceutically acceptable salt, ester, salt of such ester, or solvate thereof.

27. (New) The compound according to claim 5, wherein R² is halogen, optionally substituted C₁₋₆alkyl, CN, or SO₂C₁₋₆alkyl.

28. (New) The compound according to claim 5, wherein R³ represents halo, optionally substituted C₁₋₄alkyl, or optionally substituted OC₁₋₄alkyl.

29. (New) A method of treating a human or animal subject suffering from postoperative pain, which method comprises administering to said subject an effective amount of a compound according to claim 5.

30. (New) A method of treating neurodegeneration or providing neuroprotection in a human or animal subject comprises administering to said subject an effective amount of a compound according to claim 5.

31. (New) A method of treating a human or animal subject suffering from postoperative pain, which method comprises administering to said subject an effective amount of a compound according to claim 19.

P33027USw

32. (New) A method of treating neurodegeneration or providing neuroprotection in a human or animal subject comprises administering to said subject an effective amount of a compound according to claim 19.